

## NS 15 AL PERF 2000MM

Order No.: 1401763

The illustration shows variant NS 15 in the perforated and unperforated version

<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=1401763>DIN rail, material: Aluminum, perforated, height 5.5 mm, width 15 mm,  
length: 2 m

### Commercial data

EAN	4017918020521
Pack	5 pcs.
Customs tariff	76042990
Weight/Piece	0.10 KG
Catalog page information	Page 692 (CL-2009)

### Product notes

WEEE/RoHS-compliant since:  
01/01/2003

<http://www.download.phoenixcontact.com>  
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

### Technical data

#### General data



Height	5 mm
Length	2000 mm
Width	15 mm
Material	Aluminum
Color	silver

Test standard

In acc. with EN 60715: 2001

### Diagrams/Drawings

Dimensioned drawing



**Address**

PHOENIX CONTACT Deutschland GmbH  
Flachmarktstr. 8  
32825 Blomberg, Germany  
Phone +49 5235 3 12000  
Fax +49 5235 3 41200  
<http://www.phoenixcontact.de>



© 2010 Phoenix Contact  
Technical modifications reserved;