

DETAIL "A"
SCALE: 5:1

SEE DETAIL "A"


SECTION A-A

OBSOLETE

UNCONTROLLED DOCUMENT


IMPEDANCE (Z)			
Frequency	300 MHz	500 MHz	1 GHz
Nominal (REF)	242 Ω	287 Ω	204 Ω
Minimum	- Ω	230 Ω	- Ω

NET Z,R AND X vs. FREQUENCY
(REF. ONLY)



AGILENT E4991A Impedance/Material Analyzer
HP 16092A-Test Fixture, REF. 3754

SCALE DRAWING 1:1



HFB150070-200

FERRITE CORE DIMENSIONS (SPEC):

A	14.99 [.590]	+	0.25 [.010]
B	6.99 [.275]	+	0.15 [.006]
C	28.57 [1.125]	+	0.76 [.030]

WEIGHT/K 19.41 kgs 42.8 Lbs.

DIMENSIONS ARE IN mm [INCHES].

THIS DOCUMENT CONTAINS INFORMATION WHICH IS PROPRIETARY AND CONFIDENTIAL TO STEWARD. NO PRODUCTION OR PUBLICATION OF THIS DOCUMENT IN WHOLE OR IN PART SHALL BE MADE WITHOUT WRITTEN AUTHORIZATION FROM STEWARD.

Steward

PROJECT/PART NUMBER: HFB150070-200		REV A	PART TYPE: FERRITE CNZ CORE	DRAWN BY: JRK
DATE: 11/10/03	SCALE: 3:1	MATERIAL: HF		
CAD # HFB150070-200-A	TOOL # B0590			

REV	DESCRIPTION	DATE	INT
A	ORIGINAL DRAFT	11/10/03	JRK