





THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
AD	00	S1		ECO-05-014256	16MAR2007	RB	DR
		S2		REVISED PER ECO-09-021826	29AUG09	KK	AEG



RECOMMENDED HOLE PATTERN FOR MANUAL INSERTION

- 1 CONTACT AREA PLATED WITH .000030 GOLD; SOLDER LEADS PLATED WITH .000150 MIN TIN-LEAD; ALL OVER .000050 MIN NICKEL
- 2 POINT OF MEASUREMENT FOR PLATING THICKNESS
- 3 THE NOTED DIMENSIONS APPLY AT THE INTERSECTION OF THE POST AND HOUSING.
- 4 CONTACT AREA PLATED WITH .000030 GOLD; SOLDER LEADS PLATED WITH .000150 MIN TIN; ALL OVER .000050 MIN NICKEL
- 5 MATERIAL: HOUSING - THERMOPLASTIC, COLOR-BLACK CONTACT - COPPER ALLOY
- 6 ROHS 2002/95/EC COMPLIANT
- 7 OBSOLETE PARTS: OBSOLETE CIS STREAMLINING PER D.RENAUD/D.SINISI

6	7	NO OF POSN	A	B	PART NUMBER
OB	OB	17	36	4	6-103916-8
OB	OB	49	100	4	6-103916-7
OB	OB	39	80	4	6-103916-6
OB	OB	29	60	4	6-103916-4
OB	OB	24	50	4	6-103916-3
OB	OB	19	40	4	6-103916-1
OB	OB	14	30	4	5-103916-9
OB	OB	3	8	4	5-103916-3
OB	OB	9	20	4	5-103916-2
OB	OB	17	36	1	1-103916-8
OB	OB	49	100	1	1-103916-7
OB	OB	39	80	1	1-103916-6
OB	OB	29	60	1	1-103916-4
OB	OB	24	50	1	1-103916-3
OB	OB	21	44	1	1-103916-2
OB	OB	19	40	1	1-103916-1
OB	OB	16	34	1	1-103916-0
OB	OB	14	30	1	103916-9
OB	OB	12	26	1	103916-8
OB	OB	11	24	1	103916-7
OB	OB	7	16	1	103916-6
OB	OB	6	14	1	103916-5
OB	OB	5	12	1	103916-4
OB	OB	3	8	1	103916-3
OB	OB	9	20	1	103916-2
OB	OB	4	10	1	103916-1

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN D CLOUSER 10-3-88	Tyco Electronics Corporation Harrisburg, PA 17105-3608	
DIMENSIONS: INCHES		CHK T ZOLA 10-3-88	NAME	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD -	PRODUCT SPEC	
0 PLC ± -		1 PLC ± -	108-1093	
2 PLC ± -		3 PLC ± .005	APPLICATION SPEC	
4 PLC ± -		ANGLES ± -	114-25031	
FINISH		FINISH	SIZE A2	CAGE CODE 00779
5		1 4	DRAWING NO C=103916	RESTRICTED TO -
CUSTOMER DRAWING			SCALE 5:1	SHEET 1 of 1
			REV S2	