

<p>0359</p> <p>0359-0-15-XX-34-XX-10-0 Press-fit in .090 mounting hole</p>	<p>0358</p> <p>0358-0-15-XX-34-XX-10-0 Press-fit in .090 mounting hole</p>	<p>0360</p> <p>0360-0-15-XX-34-XX-10-0 Press-fit in .090 mounting hole</p>	<p>0343</p> <p>0343-0-15-XX-34-XX-10-0 Press-fit in .090 mounting hole</p>
<p>0356</p> <p>0356-0-15-XX-34-XX-10-0 Solder mount in .102 min. mounting hole</p>	<p>6659</p> <p>6659-0-15-XX-34-XX-10-0 Solder mount in .102 min. mounting hole</p>	<p>0347</p> <p>0347-0-15-XX-34-XX-10-0 Solder mount in .120 min. mounting hole</p>	<p>0329</p> <p>0329-0-15-XX-34-XX-10-0 Solder mount in .075 min. mounting hole. "knock out" bottom.</p>
<p>0814</p> <p>0814-0-15-XX-34-XX-04-0 Solder mount in .082 min. mounting hole</p>	<p>5059</p> <p>5059-0-15-XX-34-XX-04-0 Press-fit in .090 mounting hole</p>	<p>8360</p> <p>8360-0-15-XX-34-XX-10-0 Press-fit in .087 mounting hole</p>	<p>9359</p> <p>9359-0-15-XX-34-XX-10-0 Press-fit in .090 mounting hole</p>

SPECIFICATIONS

SHELL MATERIAL:
Brass Alloy 360, 1/2 Hard

CONTACT MATERIAL:
Beryllium Copper Alloy 172, HT

DIMENSION IN INCHES
TOLERANCES ON:
LENGTHS: ±.005
DIAMETERS: ±.002
ANGLES: ± 2°

ORDER CODE: XXXX - 0 - 15 - XX - 34 - XX - XX - 0

BASIC PART # →

SPECIFY SHELL FINISH:

- 01 200μ" TIN/LEAD OVER NICKEL
- 80 200μ" TIN OVER NICKEL ◊
- 15 10μ" GOLD OVER NICKEL ◊

SPECIFY CONTACT FINISH:

- 01 200μ" TIN/LEAD OVER NICKEL
- 80 200μ" TIN OVER NICKEL ◊
- 27 30μ" GOLD OVER NICKEL ◊

CONTACT
#34 CONTACT (DATA ON PAGE 212)