





LOC	DIST	REVISIONS			
P	LTR	DESCRIPTION	DATE	DWN	APVD
	O	REL. PER NPR98-3	4-22-98	LM	PS
	A	REV PER EC 0G3C-95-99	22SEP99	DH	MZ
	A1	REVISED PER ECO-10-000445	09JAN10	KK	AEQ



- MATERIAL:  
HOUSING: GLASS-FILLED POLYESTER  
CONTACT: PHOSPHOR BRONZE
  - CONNECTOR MATES WITH 0.64 [0.025] SQUARE POSTS.
  - PART DENOTES INDIVIDUAL TWO POSITION SHUNT WHICH IS PACKAGED ON BREAKAWAY COMBS OF TEN SHUNTS.
- 4 ASSEMBLIES ARE DELIVERED IN STICKS OF TEN PARTS.
  - 5 FINISH: 1.27µm [0.00050] MIN NICKEL UNDERPLATE OVERALL.
  - 6 FINISH: 0.76µm [0.00030] MIN GOLD IN CONTACT AREA.
  - 7 FINISH: 0.38µm [0.00015] MIN GOLD IN CONTACT AREA.
  - 8 OBSOLETE PARTS: OBSOLETE CIS STREAMLINING PER D.RENAUD/D.SINISI



HOUSING COLOR	PLATING	PART NUMBER	NOTES
YELLOW	30AU	390088-5	4 5 6
BLUE	15AU	<del>390088-4</del>	4 5 7
BLUE	30AU	390088-3	4 5 6
BLACK	15AU	390088-2	4 5 7
BLACK	30AU	390088-1	4 5 6

8 OBSOLETE

THIS DRAWING IS A CONTROLLED DOCUMENT FOR AMP INCORPORATED. IT IS SUBJECT TO CHANGE AND THE CONTROLLING ENGINEERING ORGANIZATION SHOULD BE CONTACTED FOR THE LATEST REVISION.		DWN 22-Sep-99 CHK D.WIEBKING DGH 14-NOV-97 APVD PPS 14-NOV-97	AMP Incorporated Harrisburg, PA 17105-3608
DIMENSIONS: MM [INCH]	TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± 1 PLC ± 2 PLC ± 3 PLC ±.003 4 PLC ± ANGLES ± FINISH -	PRODUCT SPEC - APPLICATION SPEC - WEIGHT - CUSTOMER DRAWING	NAME SHUNT, DUAL BEAM .100 CL SIZE A2 CAGE CODE 00779 DRAWING NO. 390088 SCALE SHT SHEET OF 1 REV A1