


THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION ,19 .
 © COPYRIGHT 19 BY AMP INCORPORATED. ALL INTERNATIONAL RIGHTS RESERVED.

LOC	DIST	P	F	REVISIONS			DATE	APPD
AF	50			ZONE	LTR	DESCRIPTION		
					L	REV NOTE 5 REACT -2 PER 061A-0079-99	22MAR99	MF/PD



- ① MAG-MATE CAVITY SPECIFICATION.
- ② CONTINUOUS STRIP ON REELS WITH TERMINALS LOCATED ON .200 CENTERS.
- ③ SLOT ACCEPTS #24-#22 AWG COPPER MAGNET WIRE.
- ④ .000080 MIN TIN PLATE.
- ⑤ .000080 MIN TIN PLATE OVER .000050 MIN NICKEL UNDERPLATE.
- ⑥ REELED FOR APPLICATION THROUGH MAG-MATE INSERTION MACHINE
- ⑦ REELED FOR INSERTION INTO PRINTED CIRCUIT BOARD

⑦	④	62439-3
⑥	⑤	62439-2
⑥	④	62439-1
REELING	FINISH	PART NO

DO NOT SCALE PRINT. UNLESS SPECIFIED DIMENSIONS IN INCHES TOLERANCES ON: 2 PLC DEC ± - 3 PLC DEC ± .010 ANGLES ± -	DR 11/21/88 M.S. FEHER	AMP INCORPORATED Harrisburg, Pa. 17105
	CHK 11/27/88 JR RUTH	
MATERIAL #4 HARD BRASS	APPD 11/28/88 NELSON E. NEFF	NAME TERMINAL, POSTED, MAG-MATE™
	APPD 11/28/88 C.G. ATHERTON	
FINISH SEE TABLE	PRODUCT SPEC -	SIZE B
	APPLICATION SPEC 114-2069 ①	FSCM NO 00779
	WEIGHT -	DRAWING NO 62439
		SCALE 10:1
		SHEET 1 OF 1