

Model #: B004-008

KVM Switch - 8-Port 1U Rackmount KVM Switch

Highlights

- Low Cost Switching Solution
- Does not require software or complicated setup simply Plug and Play
- Ultra-Compact occupies only 1U rack space



Description

Tripp Lite's B004-008, 8-Port KVM Switch, is a low-cost solution for IT managers needing a KVM switch for up to 8 CPU's. Use on a desktop or in the rack; comes with 19" rackmount hardware. This switch provides two convenient methods to access any PC connected to the unit: Port Selection buttons located on the front panel, or, Hot-Key commands from the keyboard. A powerful Quick View Scan Mode feature allows you to auto-scan and monitor the activities of all installed operating PC's, one-by-one. Choose from three different cable lengths to connect from the switch to the CPU: P750-006, P750-010, or P750-015. (For computers with USB keyboard and mouse inputs, use Tripp Lite B015-000, PS/2 to USB converter, in conjunction with the P750 cable kit). For a more feature rich 8-port KVM switch, with On Screen Display (OSD) menu functions, as well as expandability, see Tripp Lite B042-008

System Requirements

- PS/2 mouse
- PS/2 keyboard
- Computer with PS/2 mouse and keyboard ports or an available USB port (B015-000 PS/2 to USB adapter required)
- 1 P750-Series PS/2 KVM cable kit per PS/2 computer; or, 1 P750-Series PS/2 KVM cable kit and 1 B015-000 PS/2 to USB adapter per USB computer

Package Includes

- 8 Port KVM Switch (Rackmount Ready)
- Optional AC Power Adapter 100-240V, 50/60Hz, 0.5A
- Manual

Features

- Control up to 8 PC's from a Single console
- No Software required -PC selection done via Front Panel Buttons or Hot Keys
- Quick View Scan Mode for monitoring selected PC's
- PS/2 and Serial Mouse emulation provided for system boot-up
- Microsoft Intellimouse Pro, Logitech FirstMouse, FirstMouse+ support
- \bullet SVGA, VGA, and MultiSync monitor support
- LED display for easy status monitoring
- Rack mountable in 19" system rack mounting hardware included with switch

- Hot Pluggable add or remove PC's without powering down the switch
- Superior Video Quality: 1920x1440; DDC2B
- Windows Server 2008, Win7 Compatible
- Rugged Metal Housing 19"W x 6"D x 1.75"H 6.25lbs
- One Year Ltd Warranty

Specifications

OVERVIEW			
# Of Users	1		
Console	No		
Port Control	Push Buttons, Hotkeys		
Max CPU	8		
PC/Server	VGA, USB or PS/2		
Cat5 KVM Switch	No		
IP Remote Access	YES WITH B050-000 OR B051-000		
PHYSICAL			
Color	Black		
Style	1U Rackmount		
CONNECTIONS			
Connector A	(X8) HD15 (FEMALE)		
Connector C	HD15 (FEMALE)		
Local Console Ports - Port 1	HD15 (FEMALE)		
Local Console Ports - Port 2	(x2) MiniDIN6 (Female)		

Related Items

Required Products

Product Type	Related Model	Description	Qty.
KVM Cable Kits	P750-015	15-ft. KVM Switch PS/2 (3-in-1) Cable Kit for B004-008	-
KVM Cable Kits	P750-006	6-ft. KVM Switch PS/2 (3-in-1) Cable Kit for B004-008	1
KVM Cable Kits	P750-010	10-ft. KVM Switch PS/2 (3-in-1) Cable Kit for B004-008	-
KVM Adapters/Console Extender Kits	B015-000	USB Adapters - USB to PS/2 Adapter	-

Optional Products

Product Type	Related Model	Description	Qty.
KVM Switches & Accessories	B051-000	IP Remote Access Unit (KVM over IP)	-

KVM Switches & Accessories	B007-008	KVM Switch - 8-Port 1U Rackmount KVM Switch with On-Screen Display	-
KVM Switches & Accessories	B042-008	KVM Switch - 8-Port 1U Rackmount USB/PS2 KVM Switch with On-Screen Display	-

More information, including related products, owner's manuals, and additional technical specifications, can be found online at www.tripplite.com/en/products/model.cfm?txtModelID=3123.

Copyright © 2010 Tripp Lite. All rights reserved. All trademarks are the sole property of their respective owners. Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice. Photos may differ slightly from final products.